

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name:
- KlckStart Concrete Clarity Enhancer

**KickStart** 

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Cutting Agent
- · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

Curecrete Chemical Company 1203 Spring Creek Place Springville, UT 84663 USA techsupport@curecrete.com (801) 489-5663

- · Further information obtainable from: Technical Services
- 1.4 Emergency telephone number:
- (800) 633-8253 (United States/Canada)
- +1 (801) 629-0667 International Emergency Number

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1 H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- **Hazard-determining components of labelling:** Alcohols, C9-11 Ethoxylated
- · Hazard statements

H314 Causes severe skin burns and eye damage.

Page 1/8

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

(Contd. of page 1)

#### Trade name: KickStart

#### · Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

## · Dangerous components:

|                           | Bungeroue compone |  |           |  |  |  |
|---------------------------|-------------------|--|-----------|--|--|--|
|                           | CAS: 1344-09-8    | Silicic acid, sodium salt  | ≥10-<12%  |  |  |  |
|                           | EINECS: 215-687-4 | Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 |           |  |  |  |
|                           | CAS: 112-34-5     | 2-(2-butoxyethoxy)ethanol  | >1.3-1.8% |  |  |  |
|                           | EINECS: 203-961-6 | 🕩 Eye Irrit. 2, H319   |           |  |  |  |
|                           | CAS: 68439-46-3   | Alcohols, C9-11 Ethoxylated  | >1.3-1.8% |  |  |  |
|                           |                   | ) 🚸 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315              |           |  |  |  |
| Non-hazardous ingredients |                   |  |           |  |  |  |
|                           | CAS: 7732-18-5 P  | otable Water   | >80-<90%  |  |  |  |
|                           | EINECS: 231-791-2 |  |           |  |  |  |
|                           |                   |  |           |  |  |  |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

GB —

Version number 1

Revision: 30.08.2023

Trade name: KickStart

Printing date 30.08.2023

#### · 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

## 112-34-5 2-(2-butoxyethoxy)ethanol

- WEL Short-term value: 101.2 mg/m<sup>3</sup>, 15 ppm Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. of page 2)

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

(Contd. of page 3)

#### Trade name: KickStart

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

## · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye/face protection



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

| • 9.1 Information on basic physical and chemical properties  |  |  |  |  |
|--|--|--|--|--|
| Seneral Information  |  |  |  |  |
| · Physical state   | Fluid  |  |  |  |
| · Colour:  | Colourless                                     |  |  |  |
| · Odour:   | Light  |  |  |  |
| · Odour threshold:   | Not determined.                                |  |  |  |
| · Melting point/freezing point:  | Undetermined.                                  |  |  |  |
|  | • · · · · · · · · · · · · · · · · · · ·        |  |  |  |
| <ul> <li>Boiling point or initial boiling point and boiling range</li> <li>Flammability</li> </ul> |  |  |  |  |
| •  | Not applicable.                                |  |  |  |
| <ul> <li>Lower and upper explosion limit</li> <li>Lower:</li> </ul>                                | Not determined.                                |  |  |  |
|  | Not determined.                                |  |  |  |
| · Upper:   |  |  |  |  |
| · Flash point:   | Not applicable.<br>Not determined.             |  |  |  |
| · Decomposition temperature:   | 10.7-11.5                                      |  |  |  |
| · pH at 20 °C  | ALKALINE                                       |  |  |  |
| Viceosity  | ALNALINE                                       |  |  |  |
| · Viscosity:<br>· Kinematic viscosity  | Not determined.                                |  |  |  |
| · Dynamic:   | Not determined.                                |  |  |  |
| · Solubility   | Not determined.                                |  |  |  |
| · water:   | Fully miscible.                                |  |  |  |
|  | Not determined.                                |  |  |  |
| · Partition coefficient n-octanol/water (log value)  | Not determined.                                |  |  |  |
| <ul> <li>Vapour pressure:</li> <li>Density and/or relative density</li> </ul>                      | Not determined.                                |  |  |  |
| · Density and/or relative density  | $1.03.1.04.a/cm^{3}$                           |  |  |  |
| •  | 1.03-1.04 g/cm <sup>3</sup><br>Not determined. |  |  |  |
| · Relative density   | Not determined.                                |  |  |  |

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

#### Trade name: KickStart

| Vapour density                                 | Not determined.                       | (Contd. of page 4) |
|--|---------------------------------------|--------------------|
| 9.2 Other information                          |                                       |                    |
| Appearance:                                    |                                       |                    |
| Form:  | Liquid                                |                    |
| Important information on protection of hea     |                                       |                    |
| environment, and on safety.                    |                                       |                    |
| Ignition temperature:                          | Product is not selfigniting.          |                    |
| Explosive properties:                          | Product does not present an exp       | olosion hazard.    |
| Solvent content:                               | · · · · · · · · · · · · · · · · · · · |                    |
| Organic solvents:                              | 1.4-1.8 %                             |                    |
| Water:   | 81.5-85 %                             |                    |
| VOC (EC)                                       | 1.38-1.8 %                            |                    |
| Solids content:                                | 8.7-11.4 %                            |                    |
| Change in condition                            | ·········                             |                    |
| Evaporation rate                               | Not determined.                       |                    |
| Information with regard to physical hazard cla | SSES                                  |                    |
| Explosives                                     | Void                                  |                    |
| Flammable gases                                | Void                                  |                    |
| Aerosols                                       | Void                                  |                    |
| Oxidising gases                                | Void                                  |                    |
| Gases under pressure                           | Void                                  |                    |
| Flammable liquids                              | Void                                  |                    |
| Flammable solids                               | Void                                  |                    |
| Self-reactive substances and mixtures          | Void                                  |                    |
| Pyrophoric liquids                             | Void                                  |                    |
| Pyrophoric solids                              | Void                                  |                    |
| Self-heating substances and mixtures           | Void                                  |                    |
| Substances and mixtures, which emit flamma     | ble                                   |                    |
| gases in contact with water                    | Void                                  |                    |
| Öxidising liquids                              | Void                                  |                    |
| Oxidising solids                               | Void                                  |                    |
| Organic peroxides                              | Void                                  |                    |
| Corrosive to metals                            | Void                                  |                    |
| Desensitised explosives                        | Void                                  |                    |

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

Trade name: KickStart

#### 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

May cause or intensify fire; oxidiser.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information                   | 1               |                    |  |  |  |
|---|-----------------|--------------------|--|--|--|
| <ul> <li>14.1 UN number or ID number</li> </ul>     |                 |                    |  |  |  |
| · ADR, IMDG, IATA                                   | not regulated   |                    |  |  |  |
| <ul> <li>14.2 UN proper shipping name</li> </ul>    |                 |                    |  |  |  |
| ADR, IMDG, IATA                                     | not regulated   |                    |  |  |  |
| <ul> <li>14.3 Transport hazard class(es)</li> </ul> |                 |                    |  |  |  |
| · ADR, ADN, IMDG, IATA                              |                 |                    |  |  |  |
| Class   | not regulated   |                    |  |  |  |
| · 14.4 Packing group                                |                 |                    |  |  |  |
| · ADR, IMDG, IATA                                   | not regulated   |                    |  |  |  |
| • 14.5 Environmental hazards:                       | Not applicable. |                    |  |  |  |
| • 14.6 Special precautions for user                 | Not applicable. |                    |  |  |  |
| • 14.7 Maritime transport in bulk according to IMO  |                 |                    |  |  |  |
| instruments   | Not applicable. |                    |  |  |  |
|   |                 | (Contd. on page 7) |  |  |  |

(Contd. of page 5)

Printing date 30.08.2023

Version number 1

Revision: 30.08.2023

Trade name: KickStart

· UN "Model Regulation":

not regulated

(Contd. of page 6)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

- **Hazard-determining components of labelling:** Alcohols, C9-11 Ethoxylated
- Hazard statements

H314 Causes severe skin burns and eye damage.

- · Precautionary statements
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Department issuing SDS: Technical Services

· Contact: Roy Bowman

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Version number 1

Printing date 30.08.2023

Revision: 30.08.2023

#### Trade name: KickStart

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 7)

GB -