

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Revision: 30.08.2023

1 Identification of the substance/mixture and of the company/undertaking

- Product identifier
- · Trade name:
- KlckStart Concrete Clarity Enhancer
- **KickStart**
- \cdot Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Cutting Agent
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Curecrete Chemical Company 1203 Spring Creek Place Springville, UT 84663 USA techsupport@curecrete.com (801) 489-5663
- · Further information obtainable from: Technical Services
- Emergency telephone number:
- (800) 633-8253 (United States/Canada)
- +1 (801) 629-0667 International Emergency Number

2 Hazards identification

Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Alcohols, C9-11 Ethoxylated
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Trade name: KickStart

· vPvB: Not applicable.

3 Composition/information on ingredients	
 Chemical characterisation: Mixtures Description: Mixture of substances listed below with nonhazardous additions. 	
· Dangerous components:	
1344-09-8 Silicic acid, sodium salt	≥10-<12%
Acute Tox. 4, H332; Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; STOT SE 3, H335; Acute Tox. 5, H303	
112-34-5 2-(2-butoxyethoxy)ethanol	>1.3-1.8%
Eye Irrit. 2, H319; Acute Tox. 5, H313	
68439-46-3 Alcohols, C9-11 Ethoxylated	>1.3-1.8%
🚸 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315	
Non-hazardous ingredients	
7732-18-5 Potable Water	>80-<90%
• Additional information: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away. · Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

(Contd. on page 3) AE

(Contd. of page 1)

Revision: 30.08.2023

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Trade name: KickStart

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see section 7.

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

TLV (USA)	Long-term value: 10* ppm *Inhalable fraction and vapor
IOELV (EU)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

WEL (Great Britain) Short-term value: 101.2 mg/m³, 15 ppm

Long-term value: 67.5 mg/m³, 10 ppm

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Protection of hands:



(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Revision: 30.08.2023

Trade name: KickStart

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information	inical properties
 Appearance: Form: Colour: Odour: Odour threshold: 	Liquid Colourless Light Not determined.
· pH-value at 20 °C:	10.7-11.5 ALKALINE
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. : Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1.03-1.04 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Revision: 30.08.2023

(Contd. of page 4)

Trade name: KickStart

· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Organic solvents: Water: VOC (EC) 	1.4-1.8 % 81.5-85 % 1.38-1.8 %
Solids content:	8.7-11.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Caustic effect on skin and mucous membranes.
- · Serious eye damage/irritation Strong caustic effect.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

May cause or intensify fire; oxidiser.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Trade name: KickStart

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information			
· UN-Number			
· ADR, IMDG, IATA	not regulated		
¹ UN proper shipping name			
· ADR, IMDG, IATA	not regulated		
 Transport hazard class(es) 			
· ADR, ADN, IMDG, IATA			
Class	not regulated		
· Packing group	-		
ADR, IMDG, IATA	not regulated		
· Environmental hazards:	Not applicable.		
 Special precautions for user 	Not applicable.		
• Transport in bulk according to Annex II of Marpol and			
the IBC Code	Not applicable.		
· UN "Model Regulation":	not regulated		

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS). **Hazard pictograms**



- · Signal word Danger
- Hazard-determining components of labelling: Alcohols, C9-11 Ethoxylated
- Hazard statements
- Causes severe skin burns and eye damage.
- Precautionary statements

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

(Contd. of page 5)

Revision: 30.08.2023

according to 1907/2006/EC, Article 31

Printing date 30.08.2023

Trade name: KickStart

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Department issuing SDS: Technical Services

• Contact: Roy Bowman

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 6)

AE -

Revision: 30.08.2023